EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	185	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L2	36	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L3	119	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L4	113	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and ((invocation) (tim$4)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L5	5	((plug$in) (plug adj in)) with (class$file (class adj file) class) same (byte$code (byte adj code)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L7	6	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L8	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L9	17	2002/0049778	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L10	2	"20020049778"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L11	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L19	17	L16 and monitor.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L21	2	"20040123279"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L22	7	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same ((entry adj point) (exit adj point)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L23	184	("7367025" "7426723" "7506315" "6230184" "6233733" "6412109" "6446084" "6463521" "6480880" "6691307" "7155381" "7555746" "20010037356" "20020169591" "20020188827" "20030028866" "20030236657" "20060129989" "20090165149" "6110226" "5761513" "5875335" "5884081" "5898850" "5898885" "5911069" "5966702" "6026237" "6047125" "6067577" "6131187" "6151703" "6157960" "6163780" "6192517" "6202201" "6205440" "6205578" "6233725" "6237043" "6249912" "6282702" "6295641" "6321375" "6321377" "6324687" "6385764" "6412108" "6442751" "6481006" "6487607" "6557168" "6654778" "6658421" "6671877" "6732355" "6735761" "6760907" "6848111" "6851109" "6886157" "6918109" "6930695" "6976254" "6996804" "7003778" "7036113" "7039911" "7089544" "7131121" "7178131" "7181724" "7191434" "7213240" "7222331" "7243356" "7287244" "7293259" "7293260" "7398533" "7461386" "20020066087" "20020104076" "20020144011" "20020144060" "20030070161" "20030079202" "20030079203" "20030093781" "20030110200" "20030217087" "20040015914" "20040044995" "20040143827" "20040215444" "20040243792" "20050028155" "20050071815" "20050108736" "20050172243").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L24	2	"20040123279"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L25	2	"7496896".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L26	2	"6742178".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L27	37	(berry).in. and (minor near2 major)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L28	1	(berry).in. and (minor near2 major) and (class$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L29	22	(berry).in. and (minor near2 major) and (class near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L30	185	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L31	36	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L32	119	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L33	113	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and ((invocation) (tim$4)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L34	5	((plug$in) (plug adj in)) with (class$file (class adj file) class) same (byte$code (byte adj code)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L36	6	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L37	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L38	17	2002/0049778	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L39	2	"20020049778"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L40	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L48	17	L45 and monitor.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L50	2	"20040123279"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L51	7	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (entry adj point) (exit adj point)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L53	2	"20040123279"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L54	2	"7496896",pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L55	2	"6742178",pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L56	37	(berry).in. and (minor near2 major)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L57	1	(berry).in. and (minor near2 major) and (class$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L58	22	(berry).in. and (minor near2 major) and (class near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L59	98	(L30 L31 L32 L30 L33 L35) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L60	3	(L36 L37 L38 L39 L40 L41) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L61	144	(L44) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L62	5	compil$4 near6 (class$file) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L64	45	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L65	52	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L66	88	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L67	14	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation invok$4 call$4) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L68	12	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same ((entry adj point) (exit adj point)) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L69	0	agent near2 execut$4 near3 as near3 ((main) near1 (routine function sub$routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L70	1	agent near2 execut$4 near3 ((main) near1 (routine function sub$routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L72	28	execut$4 near3 ((main) near1 (routine function sub$routine)) same install$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L73	147	execut$4 near3 ((main) near1 (routine function sub$routine)) and ("717"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L74	70	execut$4 near3 ((main) near1 (routine function sub$routine)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L75	185	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L76	36	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L77	119	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L78	113	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and ((invocation) (tim$4)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L79	5	((plug$in) (plug adj in)) with (class$file (class adj file) class) same (byte$code (byte adj code)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L81	6	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L82	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L83	17	2002/0049778	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L84	2	"20020049778"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L85	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L96	7	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same ((entry adj point) (exit adj point)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L97	184	("7367025" "7426723" "7506315" "6230184" "6233733" "6412109" "6446084" "6463521" "6480880" "6691307" "7155381" "7555746" "20010037356" "20020169591" "20020188827" "20030028866" "20030236657" "20060129989" "20090165149" "6110226" "5761513" "5875335" "5884081" "5898850" "5898885" "5911069" "5966702" "6026237" "6047125" "6067577" "6131187" "6151703" "6157960" "6163780" "6192517" "6202201" "6205440" "6205578" "6233725" "6237043" "6249912" "6282702" "6295641" "6321375" "6321377" "6324687" "6385764" "6412108" "6442751" "6481006" "6487607" "6557168" "6654778" "6658421" "6671877" "6732355" "6735761" "6760907" "6848111" "6851109" "6886157" "6918109" "6930695" "6976254" "6996804" "7003778" "7036113" "7039911" "7089544" "7131121" "7178131" "7181724" "7191434" "7213240" "7222331" "7243356" "7287244" "7293259" "7293260" "7398533" "7461386" "20020066087" "20020104076" "20020144011" "20020144060" "20030070161" "20030079202" "20030079203" "20030093781" "20030110200" "20030217087" "20040015914" "20040044995" "20040143827" "20040215444" "20040243792" "20050028155" "20050071815" "20050108736" "20050172243").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L100	2	"6742178".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L101	37	(berry).in. and (minor near2 major)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L102	1	(berry).in. and (minor near2 major) and (class$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L103	22	(berry).in. and (minor near2 major) and (class near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L104	185	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L105	36	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L106	119	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L107	113	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code) and ((invocation) (tim$4)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L108	5	((plug$in) (plug adj in)) with (class$file (class adj file) class) same (byte$code (byte adj code)) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L110	6	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation) and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L111	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L113	2	"20020049778"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L114	64	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (tim$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L130	37	(berry).in. and (minor near2 major)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L131	1	(berry).in. and (minor near2 major) and (class$file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L132	22	(berry).in. and (minor near2 major) and (class near2 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L133	98	(L104 L105 L106 L104 L107 L109) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L134	3	(L110 L111 L112 L113 L114 L115) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L135	144	(L118) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L136	5	compil$4 near6 (class$file) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L138	45	(class$file (class adj file) class) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L139	52	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L140	88	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56

L141	14	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4 with (invocation invok$4 call$4) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L142	12	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same ((entry adj point) (exit adj point)) and (717/124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L144	1	agent near2 execut$4 near3 ((main) near1 (routine function sub$routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L146	28	execut$4 near3 ((main) near1 (routine function sub$routine)) same install$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L147	147	execut$4 near3 ((main) near1 (routine function sub$routine)) and ("717"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L148	70	execut$4 near3 ((main) near1 (routine function sub$routine)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 10:56
L149	109	(L30 L31 L32 L30 L33 L35) and (717/111,112,118,121124,127,128,130,140,148,151,152,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:11

L150	116	(L30 L31 L32 L30 L33 L35) and (717/111,112,118,121,124,125,127,128,130,140,148,151,152,153,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:34
L151	64	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230") and (717/111,112,118,121,124,125,127,128,130,140,148,151,152,153,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:39
L152	2	(class$file (class adj file)) same (byte$code (byte adj code)) same (insert$4 add$4 modif$4) same (source near2 code).clm. and (@pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:47
L153	88	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:47
L154	13	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4.clm. and (717/111,112,118,121,124,125,127,128,130,140,148,151,152,153,158).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:55
L155	62	(class$file (class adj file) class) same (byte$code (byte adj code)) and filter$4.clm. and @pd<"20031230" @ad<"20031230" @rlad<"20031230" @prad<"20031230")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/23 11:55

EAST Search History (Interference)

< This search history is empty>

6/23/2010 11:57:14 AM
C:\ Documents and Settings\ iteckle\ My Documents\ EAST\ Workspaces\ 10749740.wsp